

# Your Cash-Paying Patients May Be Eligible To Save On Their Mealtime Insulin



Find out more about the **Insulins Valyou Savings Program\*** and how to order **ADMELOG** inside

ADMELOG is a rapid-acting human insulin analog indicated to improve glycemic control in adults with type 2 diabetes and adults and children (3 years and older) with type 1 diabetes.

## Important Safety Information

### CONTRAINDICATIONS

ADMELOG is contraindicated during episodes of hypoglycemia, and in patients with hypersensitivity to insulin lispro or to any of its excipients.

### WARNINGS AND PRECAUTIONS

**Insulin pens and needles must never be shared between patients, even if the needle is changed. Do NOT reuse needles.**

Monitor blood glucose in all patients treated with insulin. Modify insulin regimens only under medical supervision. Changes in insulin regimen including, strength, manufacturer, type, injection site or method of administration may result in the need for a change in insulin dose or an adjustment in concomitant oral antidiabetic treatment. Changes in insulin regimen may result in hyperglycemia or hypoglycemia.

Repeated insulin injections into areas of lipodystrophy or localized cutaneous amyloidosis may result in hyperglycemia; sudden change in the injection site (to unaffected area) has been reported to result in hypoglycemia. Advise patients to rotate injection site to unaffected areas and closely monitor for hypoglycemia.

Hypoglycemia is the most common adverse reaction associated with insulins, including ADMELOG, and may be life-threatening.

**Please see additional Important Safety Information for ADMELOG on the following pages.  
Please see accompanying full Prescribing Information.**

It's simple. One set price for eligible Cash-Paying patients with the Insulins Valyou Savings Program



**\$35 guaranteed price per 30 Day Supply of one or multiple Sanofi insulins\* for 12 consecutive monthly fills with the Insulins Valyou Savings Program**

**The Insulins Valyou Savings Program applies to the cost of medication. There are other relevant costs associated with overall treatment. Sanofi reserves the right to rescind, revoke, terminate, or amend this offer, eligibility, and terms of use at any time without notice. Upon registration, patients will receive all program details.**

**\*Eligibility Restrictions & Offer Terms for Insulins Valyou Savings Program:**

Sanofi insulins included in this program are: ADMELOG<sup>®</sup> (insulin lispro injection) 100 Units/mL, TOUJEO<sup>®</sup> SoloStar<sup>®</sup> (insulin glargine injection) 300 Units/mL, TOUJEO<sup>®</sup> Max SoloStar<sup>®</sup> (insulin glargine injection) 300 Units/mL, LANTUS<sup>®</sup> (insulin glargine injection) 100 Units/mL, INSULIN GLARGINE injection 100 Units/mL (U-100) and APIDRA<sup>®</sup> (insulin glulisine injection) 100 Units/mL.

This offer is not valid for prescriptions covered by or submitted for reimbursement under Medicare, Medicaid, VA, DOD, TRICARE, similar federal or state programs, including any state pharmaceutical programs, or commercial/private insurance. Only people without prescription medication insurance can apply for this offer. Void where prohibited by law. For the duration of the program, eligible patients will pay \$35 per 30 Day Supply. To pay \$35 per 30 Day Supply, you must fill all your Sanofi Insulin prescriptions at the same time, together each month. Not valid for SOLIQUA 100/33 (insulin glargine and lixisenatide) injection 100 Units/mL and 33 mcg/mL. When using the Insulins Valyou Savings Card, prices are guaranteed for 12 consecutive monthly fills. The Insulins Valyou Savings Program applies to the cost of medication. There are other relevant costs associated with overall treatment. Sanofi reserves the right to rescind, revoke, terminate, or amend this offer, eligibility, and terms of use at any time without notice. Upon registration, patients will receive all program details.

## How to Process a Claim With the ADMELOG Savings Card, a part of the Insulins Valyou Savings Program

### Ensure patient has activated the ADMELOG Savings Card

- By going to [www.admelog.com/Savings](http://www.admelog.com/Savings)
- By calling **1-866-390-5622**

### Submitting the claim

- For cash-paying patients—submit Insulins Valyou Savings Program as primary coverage
- Submit to Insulins Valyou Savings Program as primary insurance<sup>†</sup>

<sup>†</sup>Some pharmacy dispensing systems will use CASH as primary payer, and Valyou Savings as secondary; Please refer to normal processes for your dispensing system

For questions regarding setup, claim transmission, eligibility, or other issues, please call the **LoyaltyScript for Sanofi US Corporate Loyalty Card Program** line: **1-866-390-5622** (8:00 AM–8:00 PM EST Monday–Friday).

## Important Safety Information

### WARNINGS AND PRECAUTIONS (cont'd)

Accidental mix-ups between basal insulin products and other insulins, particularly rapid-acting insulins, have been reported. To avoid medication errors between ADMELOG and other insulins, instruct patients to always check the insulin label before each injection.

**Please see additional Important Safety Information for ADMELOG on back cover.**

**Please see accompanying full Prescribing Information.**

## Order ADMELOG From Your Wholesaler Today

Wholesaler Item No	ADMELOG 10 mL Vial 0024-5924-10	ADMELOG SoloSTAR® 0024-5925-05
ABC	10185339	10185340
Cardinal	5423223	5423215
McKesson	3760469	3760477
HD Smith	5706932	5706924

### ADMELOG product details

Daily dose	15 minutes prior to a meal or immediately after
Storing ADMELOG (unopened)	refrigerated at 36°F to 46°F (2°C to 8°C) (do not freeze)
Storing ADMELOG (opened)	at room temperature below 86°F (30°C) (use within 28 days of opening) Protect from heat and light
ADMELOG prescription contents	5 (3 mL) SoloSTAR® pens or 1 (10 mL) vial
SoloSTAR® pen NDC #	0024-5925-05
10 mL Vial NDC #	0024-5924-10

## Important Safety Information

### WARNINGS AND PRECAUTIONS (cont'd)

Severe, life-threatening, generalized allergy, including anaphylaxis, can occur with insulin products, including ADMELOG. If hypersensitivity reactions occur, discontinue ADMELOG, treat per standard of care and monitor until symptoms and signs resolve.

All insulin products, including ADMELOG, can cause hypokalemia. Untreated hypokalemia may cause respiratory paralysis, ventricular arrhythmia, and death. Monitor potassium levels in patients at risk for hypokalemia.

Fluid retention and heart failure can occur with concomitant use of thiazolidinediones (TZDs) with insulin. Observe for signs and symptoms of heart failure. Consider dosage reduction or discontinuation of TZD if heart failure occurs.

### ADVERSE REACTIONS

Adverse reactions associated with ADMELOG include hypoglycemia, hypokalemia, allergic reactions, injection site reactions, lipodystrophy, pruritus, rash, weight gain, and peripheral edema.

**Please see additional Important Safety Information for ADMELOG on back cover.**

**Please see accompanying full Prescribing Information.**



## Another choice in mealtime insulin at a cost that may look better



### Highly Similar to Humalog<sup>®</sup>

Comparable structure, pharmacology, efficacy, and dosing<sup>1,2</sup>

For product profile and full safety information, please see full Prescribing Information for ADMELOG<sup>1</sup>



### Unit-for-Unit Conversion

No dose calculations needed when transitioning patients from Humalog<sup>1</sup>



### One set price with the Insulins Valyou Savings Program

For cash paying patients, please see more information inside or visit [Insulinsvalyou.com](https://www.insulinsvalyou.com)

## Important Safety Information

### DRUG INTERACTIONS

Certain drugs may affect glucose metabolism, requiring insulin dose adjustment and close monitoring of blood glucose. The signs of hypoglycemia may be reduced in patients taking anti-adrenergic drugs (eg, beta-blockers, clonidine, guanethidine, and reserpine).

### IMPORTANT SAFETY INFORMATION FOR ADMELOG<sup>®</sup> (INSULIN LISPRO INJECTION) SOLOSTAR<sup>®</sup>

ADMELOG SoloSTAR is a disposable single-patient-use prefilled insulin pen. To help ensure an accurate dose each time, patients should follow the steps in the Instruction Leaflet accompanying the pen; otherwise they may not get the correct amount of insulin, which may affect their blood glucose levels.

### IMPORTANT SAFETY INFORMATION FOR ADMELOG<sup>®</sup> (INSULIN LISPRO INJECTION) USE IN PUMP

Pump failure or insulin infusion set, or insulin degradation can rapidly lead to hyperglycemia and ketoacidosis. Prompt identification and correction of the cause is necessary. Interim subcutaneous injections with ADMELOG may be required. Patients using a pump must be trained to administer insulin by injection and have alternate insulin therapy available in case of pump failure.

**Please see additional Important Safety Information for ADMELOG on previous pages.**

**Please see accompanying full Prescribing Information.**

**References:** 1. ADMELOG Prescribing Information. 2. Humalog Prescribing Information.

All registered trademarks cited are the property of their respective owners

© 2022 sanofi-aventis U.S. LLC. All rights reserved.  
MAT-US-2009969-v5.0-07/2022

**sanofi**